

duoFLEX L LED panel

Flexibel tak/vägglamp, passar alla hålstorlekar mellan 65-310 mm.

Patenterad lösning för att passa de flesta befintliga hålstorlekar i taket. Snabb och enkel installation! Den går även att montera direkt mot tak utan håltagning.

Modeller med ljusrelä och/eller rörelsesensor finns också tillgängliga.



ARTIKLAR

Art nr	Watt	Färgtemp	Garanti	Mått ØXH	För hålstorlek	Lumen	Övrigt
PL33015-28CCTCR	Justerbar 15/22/28W	Justerbar 3000/4000/5700K	3 år	Ø330XH25	65-310mm eller tak/väggmonterad	Ca 90-100lm/W	-
PL330-15-28CCTSENCR	Justerbar 15/22/28W	Justerbar 3000/4000/5700K	3 år	Ø330XH25	65-310mm eller tak/väggmonterad	Ca 90-100lm/W	Rörelse/ ljussensor
PL330-28CCTDIMCR	28W	Justerbar 3000/4000/5700K	3 år	Ø330XH25	65-310mm eller tak/väggmonterad	Ca 90-100lm/W	Triac dimbar
PL330-15-28SMSARTCR	28W	Justerbar 3000/4000/5700K	3 år	Ø330XH25	65-310mm eller tak/väggmonterad	Ca 90-100lm/W	Smart USB, CCT justerbar och dimbar med USB plugin. Utan plugin endast CCT Switch.

INFO

- AC220-240V
- 3000/4000/6500K Switch
- Inbyggd LED driver
- CRI>80
- 110° ljusspridning
- Mjukt icke bländande ljus
- För de flesta hålstorlekar eller montering direkt mot tak.


Tillbehör



Front View



Side View



Back View


SmartEdge Multi-purpose Panel




Pre-set Button
to change color



CCT CHANGEABLE



Watt Settable



SMART THINGS



POWER BY





Google home



Amazon Alexa



Smart: Plug&play smart USB with WIFI, ZIGBEE or BLUETOOTH




Fit all cut-out from 65-310mm (2.5"-10")

Super Slim **25** mm THICKNESS


Way To Install

Recessed ▾

28W D330mm




Fit all cut-out from 65-310mm (2.5"-10")



Surface-mounted ▾

EASY & FAST installation



Easy surface-mounted

Twist on to lock